





CHEM FLOWTRONICS

Alloy Coil Condenser



Features:

- Stainless, Hastelloy Coils
- Direct Replacements of Glass Coil Condensers
- High Pressure and Temperatures
- Increase Square Footage
 - Better Heat Transfers
- Available Glass Outershell



Catalog Reference

| | | CFT 12/25 | CFT 12/40 | CFT 450/60 | CFT 450/80 | CFT 600 |
|---------------------------|-----------------|-------------------------------|-----------|------------|------------|---------|
| Heat Transfer Area | ft ² | 25 | 40 | 60 | 80 | 120 |
| L | mm | 610 | 900 | 760 | 900 | 1250 |
| L1 | mm | 250 | 250 | 325 | 325 | 485 |
| L2 | mm | 125 | 125 | 150 | 150 | 300 |
| DN | mm | 300 | 300 | 450 | 450 | 600 |
| DN1 | mm | 25 | 25 | 40 | 40 | 50 |
| Shell Capacity | gal. | 10 | 10.6 | 26.4 | 28.2 | 70 |
| Operating Temperature | °F | 350°F maximum / -40°F minimum | | | | |
| Max Working Pressure-Coil | psig | 150 | 150 | 150 | 150 | 150 |



CHEM FLOWTRONICS

Chem Flow Corporation

P.O. Box 4634, Wayne NJ 07474-4635

Tel: 800-486-3356 · 973-785-0001 · Fax: 973-785-8051

Email: info@chem-flowtronics.com · Web: www.chem-flowtronics.com